Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

		•	
			8

Ollett's

Cearolinianum

AMessage to Customers and Friends

PACKING



IIS department is in charge of experts who use the utmost care in digging and packing all orders. I have always used sphagnum moss in wrapping plants; it is the very best material which can be procured. No matter whether an order is small or large, it always receives the same careful attention, and I can assure any prospective buyer that all orders will be packed properly. Throughout the season we receive numerous testi-

monials from our customers telling us of the excellent manner in which stock arrived, although in many cases delayed for a long time in transit. These testimonials we receive from all parts of the United States and even from foreign countries. Those who live at a considerable distance need have no fear about stock arriving in poor shape due to faulty packing.

SHIPPING

We always advise having herbaceous stock shipped by express and will make delivery by this method unless otherwise advised. Please give us definite instructions as to mode of transportation desired, giving routing where there is any preference; where no routing is given we will use our best judgment in making shipment but will not be held responsible for delays which may result from such action.

PRICES

Five of any one variety will be sold at the 10 rate; 30 of one variety will be sold at the 100 rate; 300 of one variety will be sold at the 1,000 rate, where the 1,000 rate is given.

Prices on ferns and herbaccous stock include packing and delivery to the local freight or express office. All prices are based on express or freight shipment. In ease a customer desires to have stock shipped by parcel post, 10 per cent of the amount of the order should be added to cover delivery charges cast of the Mississippi River, and 20 per cent on orders to points west of the Mississippi River.

All evergreens and shrubs will be shipped by express or freight collect. The prices on evergreen trees, evergreen shrubs, and deciduous shrubs include all packing charges, and delivery to the local express or freight office.

CLAIMS

No claims will be entertained unless received within ten days after the receipt of the stock. While we use proper care in packing, we cannot be held responsible for undue delay in transit. We hold ourselves in readiness at all times to replace stock which arrives in poor order due to faulty packing.

HOW TO REACH MY NURSERIES

My nurseries are located at Southwiek, Mass., on the Northampton Division of the New York, New Haven & Hartford Railroad. The New College Highway extending from Northampton to New Haven pesses my nurseries, making them easily reached by automobile from all directions. Visitors are always welcome, and if prospective buyers will let me know a few days in advance I shall be glad to personally conduct them through my nurseries and assist them in making the selections they may require.

Most sincerely.

KENNETH E. GILLETT

Hardy Ferns and Flowers

KENNETH E. GILLETT, Southwick, Mass.



To attain their greatest value, landscapes and woodlands need the color and foliage of Rhododendrons

How to Select Plants for Special Places


⊞ All plants desirable for growing in dark, shady places, shut out from the sunlight, are marked with this sign ⊞. Very few of the old garden plants will thrive in such a place, but most of the Hardy Ferns of New England, and several of the best wild flowers are at home here; the little nook by the porch, shut away from the sunlight, the deep shade of the great lawn tree, where even grass will not grow, the wooded bank, are all places to beautify with this class of plants.

♦ This sign means that the plant is adapted for the low, wet places where sedges crowd out the grasses, and bulrushes thrive; Lobelias, Marsh Marigolds, Iris, Sarracenias, Mentha, Lythrum, etc., find here a congenial home.

♦ All the old garden plants, those to grow in beds or borders, like Campanulas, Aquilegias, those best suited for open, sunny places, desiring, for the most part, a moist, yet well-drained soil in the open sun, are marked ♦.

* Plants marked with a * are adapted for dry woods. Many of the Asters and Golden-rods will thrive here. Most of them come in late summer, when other flowers are passed; they do quite well, also, in dry, open places.

Occasionally will be seen two of the signs against the same plant; this means that the plant seems to do equally well in both positions.



Hardy Ferns are being used in quantity for massed plantings, and selections can be made to suit almost any location. Many times there are corners about the house where the sun does not strike. Such places can be beautified by the use of Hardy Ferns. My Fern trade is extensive and I am in a position to furnish them in quantity and will be glad to make special quotations on large amounts. I carry in stock over fifty varieties of hardy native Ferns most of them taking readily to cultivation. There are a few varieties of hardy native Ferns which will thrive in the open sun, yet, for the most part, they will give much better results when planted in a shady location. The Ferns I offer, being native, require a period of rest and consequently are not suitable for house culture in the winter.

Soils. Some of the larger-growing Ferns can be grown with extremely good results in ordinary garden soil in a shady location, yet, if we intend to imitate Nature, it will be necessary to furnish, for many of our Ferns, better conditions than are found in the ordinary garden. In planting Ferns it is well to prepare the soil by making it very fine, then adding, if practicable, leaf-mold so as to make the soil very light and porous. If the planter does not have at his disposal a sloping piece of ground and is anxious to have Ferns in his garden, it will be well to raise the bed 2 to 3 inches in which they are planted. This will tend to produce the drainage conditions necessary.


In planting the small rock Ferns, almost pure leaf-mold or peat should be used. This class of Ferns is, as a rule, found growing in such soils and while they can be made to struggle along and in some cases give fairly good results in ordinary garden soil, they will do much better if furnished the conditions as above described.

Uses. Our Hardy Ferns, being so varied in their characteristics, can be adapted to a wide variety of purposes. All of them can be used as specimens in the Hardy Fern collection; many can be used for edging walks in a shaded rock-garden; while others are best suited for massed plantings.

Time to plant. Hardy Ferns can be planted in either the spring or fall. If they are planted late in the autumn it is well to give them a mulch of leaves. This gives them protection from freezing and thawing and it also tends to retain the moisture in the soil until the new rootlets have started to grow.

How deep to plant. Doubtless many amateurs are not successful in growing Ferns, due to the fact that they place them too deep in the ground. Those varieties, such as the Christmas Fern or Evergreen Wood Fern, which grow from a crown should not be planted below the surface; the crown should be left exposed to the air. In case Ferns grow from underground root-stalks, such as the Beech Fern, they should be planted just below the surface with not more than half an inch of earth to cover them. Too deep planting proves fatal, especially where a long, wet season follows the planting which causes the crowns or buds to rot.

ADIANTUM pedatum (Maidenhair Fern). The most graceful of all our New England Ferns, attaining a height of from 12 to 18 inches when grown in rich, moist shady locations. It requires a well-drained situation, as is the case with most of our Ferns, but when once established it increases from year to year. It should be planted about an inch below the surface of the ground, the plants being placed 8 inches apart if a massed effect is desired.



Aspidium cristatum

Aspidium spinulosum


ASPIDIUM acrostichoides (Christmas Fern).

An evergreen species, about a foot high, with deep green fronds simply divided. Although it is one of our common species, it is a pretty one, and easily grown in shade, in good garden soil, well drained. A good Fern for planting with other sorts. Plant with the new crowns or buds just at the surface.

aculeatum Braunii
(Prickly Shield Fern).


This rare Fern
has light, glossy green
foliage and when
grown in very rich
soil attains a height
of 12 to 15 inches. It
is spreading in its
habit, similar to the
Christmas Fern
Plant a foot apart
with the new crowns
just above the surface. 40c. each, \$3.50
for 10, \$30 per 100.

cristatum (C r e s t e d
Wood Fern).
Grows in rather wet
places, attaining a
height of about a
foot. Fine for lining
walks in moist situations or planting in
colonies in shade.
Easily grown, if crown
is set just above the
surface.



Aspidium acrostichoides





Aspidium marginale

Asplenium angustifolium

Aspidium cristatum Clintonianum.

A large form of Cristatum, attaining a height of nearly 3 feet when grown in moist, rich places. Evergreen type especially desirable for the Fern-bed. To produce massed effects it should be planted a foot apart.

Goldieanum (Goldie's Wood Fern). 🗷 When fully grown it attains a height of 3 feet, having dark green fronds in some cases more than a foot wide. Plant the crowns just above the surface, and, if massed effects are desired, a foot apart. 50 cts. each, \$4.50 for 10, \$40 per 100.

marginale (Evergreen Wood Fern). 🗷 🖈 🛮 An evergreen variety having dark green fronds which are rather stiff in appearance. Used extensively for ground-covers under shrubbery. Plant the crowns just above the surface and one foot apart.

noveboracense (New York Shield Fern).
This is a slender species growing a little over a foot high, the fronds being 3 to 4 inches wide. It gives best results when planted in moist, shady locations. Its pale green foliage contrasts beautifully with the darker colored varieties when planted in masses. The buds of this Fern should be planted just below the surface of the ground and, for massing, 9 inches apart.

spinulosum (Spinulose Wood Fern). 🗷 Requires well-drained locations and if grown in rich soil attains a height of $1\frac{1}{2}$ to 2 feet. It is fine for massing under shrubs to form an evergreen ground-cover. The crowns should be planted just at the surface, and, for mass planting, a foot apart.

inulosum dilatatum.
This is similar to Spinulosum but has broader fronds. When grown in rich, moist situations it attains a height of 2½ feet. When planting, spinulosum dilatatum. furnish it with rich, porous soil. Plant the crowns just at the surface, and $1\frac{1}{2}$ feet apart for massing. 30 cts. each, \$2 for 10, \$15 per 100.

Thelypteris (Marsh Shield Fern).

A foot high, with fronds about 2½ inches wide. It can be cultivated in moist, open places, and, like all the Ferns, is benefited by adding leaf-mold which makes the soil the plants like.

ASPLENIUM angustifolium (Narrow-leaved Spleenwort).

A charming Fern 1 to 3 feet high, with simply divided fronds 3 to 4 inches long. Its home is in rich, shaded places where it is quite moist. 30 cts. each, \$2.50 for 10, \$20 per 100.

SPECIAL NOTICE TO CUSTOMERS

This spring, as in the past two seasons, I am going to allow my customers a special 5% discount on all orders received before March 1st; provided orders are accompanied by remittance.

I have an abundant supply of Rhododendron carolinianum and Azalea calendulacea; illustrated on the cover of this catalog. Most all of the plants supplied will be heavily budded for flowering this spring.


I wish to call your particular attention to my special offer for a carload shipment of collected Laurel or Rhododendron maximum. This special offer is found in the back portion of the catalog under "Collected Rhododendrons." The 5% discount will apply to this special offer when order is received with remittance.

OLD ENGLISH BOXWOOD

I have some rare specimens of Old English Boxwood that I am supplying at very reasonable rates, also hedges; any height. I will be pleased to supply you special quotations covering any requirements you may have.

Gillett's Fern & Flower Farm,
 K. E. Gillett, Prop.

Southwick, Mass.




- Asplenium ebeneum (Ebony Spleenwort). * 6 to 15 inches high. Suited for rockwork. In planting in the front border of Fern-beds, give it a little leaf-mold, and plant about 8 inches apart; do not cover the new buds.
 - Filix-fœmina (Lady Fern). ♦ ★ A large, handsome Fern, 2 to 3 feet high, with finely cut foliage. Plant in a moist place, in sun or shade, in good, rich soil. A good Fern to grow as single specimens, or it can be set 1½ to 2 feet apart at back of Fern-bed. One of the best for general culture.
 - Trichomanes (Maidenhair Spleenwort).

 A delicate little Fern, with narrow fronds 3 to 6 inches long. Although found up among the cliffs, it adapts itself to the small rockery, where it does exceedingly well, and also in the Fern border. This is one of the small evergreen Ferns benefited by a good allowance of lcaf-mold. Plant about 8 inches apart, in colonies of a dozen or so if possible, with the crowns at the surface.
 - thelypteroides (Silvery Spleenwort). Fronds 2 to 3 fect high, by 6 inches wide. Thrives in moist shades. A good thrifty Fern, deserving of a place well back in the Fernbed. Any good garden soil. Plant 1 foot apart.
- CAMPTOSORUS rhizophyllus (Walking-Leaf Fern).

 Leaves tapering, 4 to 12 inches Iong. 25 cts. each, \$2 for 10, \$15 per 100.
- CYSTOPTERIS bulbifera (Bladder Fern). Male Light green fronds, which attain a length of nearly 3 feet, make it useful for massing on moist banks or for lining walks where a low carpet effect is desired. Plant the crowns just at the surface and 8 inches apart.
 - fragilis. Smaller than the preceding, growing but 4 to 8 inches high, with fronds two or three times divided. Forms nice clumps in shady, well-drained soil; plant 6 inches apart in beds.
- DICKSONIA punctilobula (Hay-scented, or Gossamer Fern). ◈ ℍ → One of the varieties that will grow in either sun or shade. It propagates itself by underground root-stalks and if planted in rich, porous soil will soon form masses. Sods for immediate effects, 60 cts. per sq. ft., \$5 for 10 sq. ft., \$35 per 100 sq. ft.
- ONOCLEA sensibilis (Sensitive Fern). ♦ ★ Grows in quite wet places, or will thrive in moist soils in sunny locations or shaded spots, reaching a height of 1 foot. Plant 1 foot apart.
 - Struthiopteris (Ostrich Fern).

 Long, graceful, erect fronds make a most effective background for smaller Ferns, reaching a height of 1 foot, and the sterile ones 2 to 4 feet, with a width of 6 to 10 inches. Thrives in the open sun or shaded nook. Feed heavily with manure. 25 cts. each, \$2 for 10, \$15 per 100.
- OSMUNDA regalis (Flowering Fern).

 Pale green fronds. One of the prettiest large Ferns. Can be grown in still water, 2 to 3 inches deep, setting the crowns just above the water; also in moist soils, sun or shade. Grows 2 to 3 feet high. Plant 2 to 3 feet apart. Large roots, 25 cts. each, \$2 for 10, \$15 per 100.



Maidenhair Fern (Adiantum pedatum) thrives in shaded locations. See page 2



Osmunda Claytoniana grows from 2 to 3 feet high and is successful for shade

Osmunda Claytoniana. * © Clothed with loose wool when unfolding its fronds in spring, but soon becoming perfectly smooth. This Fern, 2 to 3 feet high, is found in rather dry, shaded places, and does quite well under cultivation and in boxes. Plant about 2 feet apart if several are needed. 25 cts. each, \$2 for 10, \$15 per 100; extra-heavy, 50 cts. each, \$4 for 10.

cinnamomea (Cinnamon Fern).

Larger than the preceding—often 5 feet high and 8 inches wide. Thrives in quite wet soil, in open sun or moist, shady places; usually found in mucky soil. 25c. ea., \$2 for 10, \$15 per 100; extra-heavy, 50c. ea., \$4 for 10.

PELLÆA atropurpurea (Purple Cliffbrake). This little Fern will convert a dry limestone wall into a veritable garden, as the roots cling to crevices in the stone. Fronds 4 to 12 inches long, 2 to 4 inches wide. 50 cts. each, \$4 for 10.

PHEGOPTERIS Dryopteris (Beech Fern).

Has triangular fronds 3 to 5 inches wide, once or twice divided. Reaches a height of 1 foot in moist, rich, shaded places. It is benefited by adding a little leaf-mold to the soil. Plant 8 inches apart.

hexagonoptera.

A good Fern for the shady corner. It reaches a height of one foot, with fronds averaging from 7 to 12 inches in width—often broader than long. Plant 8 inches apart.

polypodioides.
Fronds smaller and darker green than the preceding, 8 inches high, often found on mossy banks just above the water of a mountain brook. A good Fern for the front border of a Fern-bed, and, if planted 6 inches apart, should in two years, make a solid clump.

POLYPODIUM vulgare (Common Polypody).

One of the best evergreen species for rockwork. Grows 4 to 10 inches high, forming dense mats. Plant about 4 to 6 inches apart for quick results and cover the new buds slightly.

PTERIS aquilina (Common Brake). Commonly found throughout New England in light, sandy soil, and often in thin woodlands; will grow in either sun or shade.

Prices on Ferns, 25 cts. each, \$1.50 for 10, \$12 per 100, unless otherwise noted

WOODSIA ilvensis (Rusty Woodsia). ♦ ★ This Fern thrives in moist soils in shade, but needs good drainage; it grows about 6 inches high. Plant about 8 inches apart.

obtusa (Obtuse-leaved Woodsia).

An easy Fern to grow, and quite desirable for rockwork. It will thrive in almost any shaded place not too wet. 6 to 12 inches high. Plant 8 inches apart in front of larger Ferns. It is benefited by the addition of a little leaf-mold.

WOODWARDIA angustifolia (Chain Fern). ♦ Thrives in moist garden soil, even in highest rock-gardens. 12 inches high by 3 to 4 inches wide. 25 cts. each, \$2 for 10. virginica. ♦ Is larger than the preceding—2 feet high by 3 to 5 inches broad. Can be grown in any garden soil. Plant 12 to 14 inches apart if a permanent bed is desired.

CLUB MOSSES

LYCOPODIUM clavatum (Club Moss). * This variety runs extensively, sometimes 6 feet or more. Stems round, and covered with small, light green, pointed leaves. complanatum. * The short stems, 3 to 6 inches high, have flat-topped, leafy branches. The brown, running stems are often 8 feet long.

dendroideum (Ground Pine).

→ Used for Christmas greens. Grows about 6 inches high, in moist, shady places; evergreen, quite showy, and does well under cultivation. lucidulum (Shining Club Moss).

Evergreen, 3 to 8 inches high; leaves ½ inch long, growing thickly along the stalk. Plant in moist shady places, 3 to 4 inches apart.

SELAGINELLA apus. � A pretty little creeper, with fine, scale-like leaves. Makes a fine groundwork for small flowering plants. Grows in open sun or in wet or moist places.

Prices on Ferns, 25 cts. each, \$1.50 for 10, \$12 per 100, unless otherwise noted



Glorious in bloom and foliage, the Rhododendrons are not surpassed by any other flowering shrub

COLLECTIONS OF HARDY FERNS BOUND TO PLEASE LOVERS OF WILD GARDENS

The following collections are made up to help in selecting for special needs, and should be sent by express or freight

If to be planted in beds, the height given after each kind will indicate where it should go. If in beds where they are to be seen from all sides, the tall kinds in the center; but if in an angle of the house or wall, plant the taller kinds the farthest back, 8 inches or a foot from the wall, and the smaller kinds in front.

No. 1, \$5. For Open Sun Culture

This collection is desirable for the open border, and all the Ferns, being rather tall, can be grown as single specimens or for massing, with or without flowers.

- 5 Onoclea Struthiopteris, 2 to 4 feet. 20 Dicksonia punctilobula, 1 to 2 feet.
- 5 Osmunda Claytoniana, 2 to 3 feet. 5 Asplenium Filix-fæmina, 2 to 3 ft.

No. 2, \$5. For Dry, Shady Places

These Ferns will grow in a dry, shady place. Plant them where flowers, as a rule, do not thrive.

- 10 Aspidium acrostichoides, 1 foot.
- 10 Dicksonia punctilobula, 1 to 2 feet.
- 10 Aspidium marginale, 1 to 2 feet.
- 5 Osmunda Claytoniana, 2 to 3 feet.

No. 3, \$6. For Moist, Shady Places

This collection is fine and easily handled in moist, shady places; also for large rockery.

- 5 Adiantum pedatum, 1 foot.
- 5 Asplenium thelypteroides, 2 to 3 feet.
- 5 Aspidium cristatum, 1 foot.
- 5 Asplenium Filix-fæmina, 2 to 3 feet.
- 5 Aspidium acrostichoides, 1 foot.
- 5 Phegopteris hexagonoptera, 1 foot.
- 5 Aspidium spinulosum, 1 to $1\frac{1}{2}$ ft.
 - 5 Woodwardia virginica, 2 fect.

5 Aspidium marginale, 1 to 2 feet.

No. 4, \$5. For Wet, Open Ground

These Ferns are very useful for border of a lake or low, wet ground.

- 10 Aspidium Thelypteris, 1 foot.
- 10 Osmunda regalis, 2 to 3 feet.
- 10 Onoclea sensibilis, 1 foot.
- 10 Woodwardia virginica, 2 feet.

No. 5, \$5. Low Evergreen Ferns for Dry, Rocky Ledge

- 10 Asplenium Trichomanes, 3 to 6 in. 10 Polypodium vulgare, 4 to 10 inches.
- 10 Woodsia obtusa, 6 to 12 inches.
- 10 Woodsia ilvensis, 6 inches.

All of the Ferns listed in this catalogue can be shipped at any time during the growing season by simply cutting back the fronds. This checks the growth temporarily, but soon after the planting new foliage forms and in a short time the plants will be as beautiful as ever.



THE HARDY ROCK-GARDEN

Early spring flowers make a better and more natural display in a rock-garden than in the ordinary flower-bed. The construction of a rock-garden is very simple. Select a shaded location, where the ground has ordinary moisture. Begin at the bottom and build up (do not throw together a heap of stones and then cover with earth); each boulder should be placed so as to allow moisture from rains to run into the garden, not away from it. After placing a boulder, fill around it with earth, being sure that there are no spaces unfilled, as air-spaces will prevent moisture from coming up from below. The top of a rock-garden must have direct contact with the ground by way of firm earth in order to allow the moisture to work up among the stones and give the proper conditions for growing rock plants. It is not necessary to build a rock-garden more than 8 to 10 inches above the surrounding level.

The soil in which the plants are directly placed should be rich woods' earth. The main body of the rock-garden can be ordinary garden soil, yet to obtain the best results the top soil should be rich woods' dirt. Many native plants do not thrive in garden soil.

It is impossible to give explicit directions for making a rock-garden, such as will cover all needs, yet I will be very glad to advise anyone who may contemplate the building of such a garden, giving specific directions as may be necessary. If desired, I will send a competent representative to plan a rock-garden; terms given on application.

ROCK-GARDEN PLANTS FOR A MOIST, SHADY PLACE

FERNS

(For description, see Ferns)

Adiantum pedatum, 12 to 15 inches. Aspidium aculeatum Braunii, 12 to 15 inches. Aspidium cristatum, 12 inches. Aspidium marginale, 1 to 2 feet. Aspidium spinulosum, 1 to $1\frac{1}{2}$ feet. Asplenium ebeneum, 6 to 12 inches. Asplenium Trichomanes, 3 to 6 inches. Camptosorus rhizophyllus, 4 to 12 inches. Cystopteris bulbifera, 6 to 12 inches. Cystopteris fragilis, 6 to 8 inches. Osmunda Claytoniana, 2 to 3 ft. Osmunda regalis, $1\frac{1}{2}$ to 3 feet. Pellæa atropurpurea, 2 to 4 inches. Phegopteris Dryopteris, 6 to 10 inches. Phegopteris hexagonoptera, 8 to 12 inches. Phegopteris polypodioides, 8 to 12 inches. Polypodium vulgare, 4 to 10 inches. **Woodsia ilvensis,** 4 to 8 inches.

Woodsia obtusa, 6 to 12 inches.

FLOWERING PLANTS

(See Hardy Perennials for descriptions)

Actæa alba, 1 to 2 feet. Actæa rubra, 1 to 2 feet. Aquilegia canadensis, 8 to 12 inches. Arisæma triphyllum, 1 to 1½ feet. Asarum canadense, 4 to 6 inches. Aster cordifolius, 1½ to 2 feet. Aster corymbosus, 18 to 30 inches. Aster undulatus, 18 to 30 inches. Baptisia tinctoria, 1 to 2 feet. Caulophyllum thalictroides, 1 to 11/2 feet. Chimaphila maculata, 3 to 6 inches. Cimicifuga racemosa, 2 to 4 feet. Dentaria diphylla, 4 to 8 inches. Dicentra Cucullaria, 4 to 8 inches. Erythronium albidum, 6 inches. Erythronium americanum, 6 inches. Eupatorium ageratoides, 1½ to 3 feet. Galax aphylla, 6 to 8 inches. Gentiana Andrewsii, 1 to 2 feet. Hepatica acutiloba, 4 to 6 inches.

ROCK-GARDEN PLANTS FOR A MOIST, SHADY PLACE, continued

Hepatica triloba, 4 to 6 inches. Houstonia cærulea, 2 to 3 inches. Iris cristata, 4 to 8 inches. Iris verna, 4 to 8 inches. Lilium philadelphicum, 1 to 2 feet. Lobelia cardinalis, 1½ to 3 feet. Mertensia virginica, 1 to 1½ feet. Mitchella repens. (Prostrate.) Mitella diphylla, 4 to 8 inches. Nepeta Glechoma. (Prostrate.) Phlox amœna, 6 to 12 inches. Phlox divaricata, 8 to 18 inches. Phlox subulata, 3 to 5 inches. Phlox subulata alba, 3 to 5 inches. Phlox subulata lilacina, 3 to 5 inches. Podophyllum peltatum, 8 to 15 inches. Polygonatum biflorum, 1 to 2 feet. Sanguinaria canadensis, 6 to 12 inches. Shortia galacifolia, 4 to 6 inches. Smilacina bifolia, 3 to 4 inches.

Smilacina racemosa, 8 to 18 inches. Solidago cæsia, 1 to 1½ feet. Solidago nemoralis, 1 to $1\frac{1}{2}$ feet. Stylophorum diphyllum, 12 inches. Thalictrum anemonoides, 6 to 12 inches. Thalictrum dioicum, 1 to 2 feet. Tiarella cordifolia, 6 to 10 inches. Trillium erectum, 10 to 15 inches. Trillium erythrocarpum, 8 to 12 inches. Trillium grandiflorum, 10 to 15 inches. Trillium stylosum, 8 to 12 inches. Uvularia perfoliata, 8 to 12 inches. Uvularia sessilifolia, 8 to 12 inches. Vinca minor. (Trailer.) Viola canadensis, 4 to 12 inches. Viola canina sylvestris, 4 to 8 inches. Viola cucullata, 4 to 8 inches. Viola palmata, 6 to 10 inches. Viola pubescens, 8 to 12 inches. Viola rotundifolia, 2 to 4 inches. Viola septentrionalis, 4 to 8 inches.

ROCK-GARDEN PLANTS FOR OPEN, SUNNY PLACES

The following list of plants is suited to growing in a sunny rock-garden. For the most part this list is composed of the dwarf plants which are particularly desirable for this class of gardening. You will find them listed and described under the head of Hardy Perennials unless otherwise noted.

Alvssum saxatile.

Aquilegia canadensis.

Arabis mollis.

Arenaria cæspitosa.

Campanula rotundifolia.

Dianthus deltoides.

Houstonia cærulea.

Iberis sempervirens.

Iris cristata.

Iris verna.

Leiophyllum buxifolium prostratum.

(See Evergreens.)

Mertensia virginica.

Mitchella repens.

Pachysandra terminalis.

Phlox amæna.

Phlox divaricata.

Phlox subulata.

Phlox subulata alba.

Phlox subulata lilacina.

Primula acaulis.

Sanguinaria canadensis.

Saxifraga virginiensis.

Sedum acre.

Sedum album.

Sedum lydium.

Sedum sarmentosum.

Sedum sexangulare.

Sedum stoloniferum coccineum.

Sempervivums (four varieties).

Thymus lanuginosus.

Thymus Serpyllum.

Thymus Serpyllum albus.

Thymus Serpyllum coccineus.


Vinca minor.

Viola cornuta.

Viola lutea.

Viola septentrionalis.

If you have a shady nook in the garden, where you find it difficult to make ordinary plants grow, try shade-loving plants—the Erythroniums, Claytonia, the native Aquilegia, and some of the Ferns. You will be surprised at the charming results.



HARDY PERENNIALS

FLOWERS THAT LIVE YEAR AFTER YEAR

The word Native will possibly assist customers in selecting plants for a garden where only natives are required. There is no class of plants which gives the same permanency of effect as do these. When established they bloom year after year while many of the so-called hardy plants pass their period of usefulness after two or three years.

Prices on Perennials, 25 cts. each, \$1.50 for 10, \$12 per 100, unless otherwise noted

ACTÆA

alba (White Baneberry). ₩ Native. Racemes of white flowers, followed by white fruit. Fine for rock-work or the shady corner. Provide it with a friable Ioam rich in humus. 35 cts. each, \$2.50 for 10, \$20 per 100.

rubra (Red Baneberry). Native. Same as preceding but with red fruit. 35 cts. each, \$2.50 for 10, \$20 per 100.

ALETRIS

farinosa (Colic-root). Native. This plant grows where the soil is rather dry. It bears small white flowers on a slender stalk; appear as if sprinkled with meal. 1 to $1\frac{1}{2}$ feet high.


ALYSSUM

saxatile compactum (Rock Madwort). A desirable plant for rockeries or borders. In early spring it is completely covered with showy yellow flowers. About 1 foot high.

No plants excel Perennials for real values in home-gardens



Actæa alba in fruit



Alyssum saxatile compactum. See page 11

ANDROSACE

primuloides (Rock Jasmine). Flowers rosy purple with a yellow eye. Many trailing branches or shoots provide a good drapery for the rock-garden. Plant in welldrained soil and partial shade; water freely in dry summers. 6 to 10 inches high. 25 cts. each, \$2 for 10, \$15 per 100.

AQUILEGIA

canadensis.

Native. Yellow and red flowers an inch long. Very desirable for rockeries. 8 to 20 inches high.

ARABIS

mollis. Early in spring it bears masses of pure white flowers. It forms good clumps, carpeting the soil with small shining leaves.

ARENARIA

cæspitosa. Known in some sections as "Spergula." The plants form tufts of bright green leaves and soon cover the ground like a carpet. It is desirable for rock-gardens, for crevices in flag walks, or for cemetery coverings. The small flowers are pure white.

ARISÆMA

triphyllum (Wild Turnip; Jack-in-the-Pulpit). Let this woodland gem preach for you.

ASARUM

canadense (Wild Ginger; Canada Snakeroot).

Native. Kidney-shaped leaves 3 to 5 inches wide and a single purplish flower close to the ground. Plant in the shady corner with your ferns. 15 cts. each, \$1 for 10, \$8 per 100.

ASCLEPIAS

tuberosa (Butterfly Weed). Native. A foot high with large heads of orange flowers. Thrives on dry, sandy banks. 25 cts. each, \$2 for 10, \$15 per 100.

ASTER

These are easily grown and deserve more attention from lovers of wild flowers. Those named are among the most showy of the genus.

alpinus. ** Native. Valuable for rockeries and similar places. Flowers vary from white to pink, carried on stems from 5 to 10 inches high.

alpinus albus. * Native. White-flow-

ered species.

cordifolius. * Native. Pale blue flowers in autumn. Quite showy, particularly when grown in large groups in the open, or against a mass of shrubs. Prefers shaded situations. 1 to 2 feet.

corymbosus. * Native. White flowers. A prominent Aster of our dry New England woods in late autumn. 1 to 2 feet.



Arisæma triphyllum



Hardy Asters

ASTER, continued

ericoides. * > Native. Graceful, wandlike, spreading branches are covered with fine green or purple leaves, and dotted with large, white flowers. Plant in dry, sandy soil.

with sky-blue flowers. Dry woodland.

linariifolius (Double-bristled Aster). * Native. Grows 8 to 12 inches high; short, linear leaves and large, showy, violet flowers in late autumn. Plant in dry, open places or woods.

multiflorus.

Native. Branches covered with small, white flowers. Fine for dry, open places. 1 to 2 feet high. 15 cts.

each, \$1 for 10, \$8 per 100. novæ-angliæ.

Native. Stout stalks, 3 to 8 feet high. Flowers violet and purple. Moist ground.

novi-belgii. A Native. Plants 2 to 3 feet high, with large, pale blue flowers. A wet, open bank suits it best.

Asters in varieties for shady places, \$10 per 100. Asters in varieties for open sunny places, \$10 per 100.

BAPTISIA

tinctoria (Wild Indigo). & Native. Flowers yellow. Forms good clumps in the open border. 1 to 2 feet high.

CAMPANULA

carpatica.

A Large blue flowers in summer. Sunny border or rockery. 25 cts. each, \$2 for 10.

carpatica alba. Flowers white. 25 cts. each, \$2 for 10.

rotundifolia (Blue Bells of Scotland). In shady places the plants often grow 2 feet high. The flower-buds are upright, opening into a nodding, bell-shaped blue flower. Blooms freely, and is happy in any moist soil. 25 cts. each. \$2 for 10.

CAULOPHYLLUM

thalictroides (Blue Cohosh). Mative. A thrifty plant of our New England hillsides. Flowers greenish yellow, followed by the large blue berries.

Prices on Perennials, 25 cts. each, \$1.50 for 10, \$12 per 100, unless otherwise noted



Cimicifuga racemosa

CHELONE

glabra (Snake Head). ♦ Native. Flowers white to rose-color, in late autumn; grows in wet places. 1 to 2 feet high.

CHIMAPHILA

maculata.

Native. Low-growing plants with spotted leaves and rather showy white or pink flowers. Plant it with the partridge berry.

umbellata (Prince's Pine). Native. An evergreen 6 to 10 inches high with bright shiny leaves; flowers flesh color in June.

CIMICIFUGA

racemosa (Black Snakeroot).

Black Snakeroot Matrix. Tall plants with white flowers in elongated racemes. Desirable for a moist, shady corner. 4 to 6 feet high.

CLINTONIA

borealis. Mative. Flower-stalks are about 6 inches high, bearing at the top a few rather large, greenish yellow, lily-like flowers in early spring. Plant in a cool, shady place. 15 cts. each, \$1 for 10, \$8 per 100.

COPTIS

trifolia (Gold-Thread).

Native. A little, low evergreen, with bright shiny leaves and white flowers. Plant in a moist, shady place.

CORNUS

canadensis (Dwarf Cornel). * Native.
Plant 6 inches high, with four broad leaves at the top. Flowers greenish, surrounded by a showy white involucre, followed by bright red berries. A desirable plant for a shady corner; fine for massing. 30 cts. each, \$2.50 for 10, \$20 per 100.

DENTARIA

diphylla (Toothwort; Pepper-Root).

Native. Plants grow 6 to 16 inches high, with a single corymb of pretty white flowers in May. Rich, shady places. 15 cts. each, \$1 for 10, \$8 per 100.

DICENTRA

Cucullaria (Dutchman's Breeches). Native. A very early spring flower, with delicate divided leaves; grows about 8 inches high. Greenish white flowers, tinged with rose. 15 cts. each, \$1 for 10, \$8 per 100.

canadensis (Squirrel Corn). Native. Similar to above in flower, leaf, and manner of growth. 15 cts. each, \$1 for 10, \$8 per 100.

DIANTHUS

deltoides (Maiden Pink). A dwarf creeping sort, bearing small, deep red flowers with crimson centers; used for borders and covering the soil with tufts of green.


plumarius, Cyclops (Garden Pink). Colors range from white to deep pink. Fine border plant.

DIPLOPAPPUS

linariifolius. See Aster.



Dianthus deltoides



Around the office you will find specimen Rhododendrons, Azaleas, Rock-plants, and ground-covers

DODECATHEON

Meadia (Shooting Star).

Native. A very pretty, smooth perennial, with rose-colored or sometimes white flowers in May or June. This is sometimes called "American Cyclamen." It thrives in rich, moist woods, or in the open border. 30 cts. each, \$2.50 for 10, \$20 per 100.

ERYTHRONIUM

americanum (Dog-tooth Violet; Adder's Tongue). Native. Light yellow flowers on long stems in early spring. The long foliage is mottled with dark purple and white spots. Succeeds best in shady spots where it has amp'e moisture. 15 cts. each, \$1 for 10, \$8 per 100.

americanum albidum. Native. An extremely interesting spring flower with white, dog-toothed-violet flowers and light green leaves. Succeeds in any light soil in partially shaded place. 15 cts. each, \$1 for 10, \$8 per 100.

EUPATORIUM

ageratoides (White Snakeroot).

Native. Grows 2 to 3 feet high, with a profusion of small, white flowers, in heads in late summer. Very desirable for planting in woodlands or other semishaded places, where it is thoroughly at home.

EUPATORIUM, continued

perfoliatum (Thoroughwort). � Native. Reaches a height of 2 to 3 feet with opposite leaves and flat heads of white flowers; moist places. Very effective in large masses.

purpureum (Trumpet Weed; Joe Pye Weed). \Leftrightarrow Native. Plants 4 to 10 feet high, with smooth, purple stalks, leaves in whorls, and large, showy, purple heads of flowers, borne on top. Found in wet meadows and along streams.

GAULTHERIA

procumbens (Aromatic Wintergreen). *
Native. A low evergreen, with bright
green leaves. Flowers white followed by
the bright red berries, which remain
until the next scason. Give the bed a
covering of leaves. It takes a whole
season to establish this plant. Clumps,
30 cts. each, \$2.50 for 10, \$20 pcr 100.

GALAX

aphylla.

■ Native. A pretty little evergreen from the mountains of North Carolina, having shining red or green leaves. Stalks a foot high, bearing many small, white flowers. Hardy in cold latitudes. 30 cts. each, \$2 for 10, \$15 per 100.

On pages 9 and 10 you will find plant material classified so that you will have no difficulty in selecting suitable varieties.



Gentiana Andrewsii.

GENTIANA

Andrewsii (Closed Gentian). Mative. A pretty and strong-growing northern species, with clusters of blue flowers an inch or more in length. Plant in rich, moist soil. At home along the banks of a brook in shady places. One of our most interesting native plants.

GERANIUM

maculatum (Wild Crane's Bill).

*Native. The Wild Geranium of our woods and fields. Flowers rather large, light purple, are borne from April to August. 20 cts. each, \$1.25 for 10, \$9 per 100.

HEPATICA

acutiloba (Acute-lobed Hepatica).

Native. An early blooming western plant with white, pink, or purple flowers in early spring.

triloba (Round-lobed Hepatica).

Native. One of the earliest of our wild wood flowers. Leaves three-lobed; the flowers are pink and dark purple. Fine for massing in the shady corner or open woods.

HOUSTONIA

cærulea (Bluets). Native. A little low biennial, 2 to 4 inches high, sparingly branched from the base. Flowers small, delicate light blue, sometimes pale lilac or white, with a yellowish eye. Grow in tufts in open, moist, or grassy places. Blooms in May. 15 cts. each, \$1 for 10, \$8 per 100.

HYPOXIS

erecta (Star Grass).

Native. A little wood plant, with grass-like leaves and rather large yellow flowers.

IBERIS

sempervirens (Evergreen Candytuft). Pure white flowers; foliage evergreen. 25 cts. each, \$2 for 10, \$15 per 100.

IRIS

cristata (Crested Iris). Native. A little low species no more than 2 to 3 inches high, found wild in the Southern States. Flowers light blue, marked with white. Fine for the open border.

Pseudacorus.

■ Native of Europe and Asia. In May and June bright yellow flowers are borne on stems 2 to 3 feet high. In favorably moist locations the plants will form large clumps and produce many flower-stalks.

verna. Native. A little low Iris with blue flowers having yellow center.

versicolor. Native. About 20 inches high with pretty blue flowers. A mass of this variety in bloom is a sight which one will not soon forget. Use it freely in moist places. 20 cts. each, \$1.25 for 10, \$10 per 100.



Hepatica triloba

LIATRIS

pycnostachya. ♦ Native. The flower stem is quite stout, often growing 4 feet high, and is covered from 12 to 18 inches with small purplish flowers.

scariosa. \otimes Native. Flowers purple, on long stems.

LILIUM

canadense (Wild Meadow Lily).

Native. Grows 2 to 4 feet high, with one to many yellow or yellowish red flowers. Plant in moist, well-enriched soil.

Mammoth bulbs, 40c. ea., \$3 for 10. Flowering size, 25c. ea., \$1.50 for 10.

philadelphicum (Wild Orange-Red Lily). Native. Reaches a height of 1 to 2 feet with one or two upright, open, bell-shaped flowers, reddish orange, spotted with purple. Plant in a well-drained soil in sun or shade.

superbum (Superb Orange Lily). ♦ Native. Large bulbs, 25 cts. each, \$2 for 10, \$15 per 100.

LOBELIA

cardinalis (Cardinal-flower).

Native.


One of the showiest of our wild flowers.

It is 2 to 4 feet high, with large, deep red blossoms along the upper part of the stalk. Will thrive in any garden soil or along the border of a lily-pond or brook in water 2 to 3 inches deep. The blooms contest the supremacy of any other red flower.

syphilitica. ♦ Native. Tube-shaped flowers, blue or purple, and about 1 inch long are carried on stems that may be 2 to 3 feet high. The plant thrives best in moist places. This variety and L. cardinalis are at their best when in groups of a dozen or more.



Mertensia virginica



Lilium philadelphicum

LYSIMACHIA

Nummularia (Moneywort). Natire. Creeping leafy herb, with large yellow flowers. Quite hardy and desirable for covering shady banks and lawns where grass fails; also used for rustic vases and baskets.


LYTHRUM

MERTENSIA

virginica (Virginia Cowslip).

This plant grows from 1 to 2 feet high, bearing a panicle of beautiful blue or sometimes white flowers in early spring. The buds are pink. One of the choicest early spring flowers for massing in shady places or open sun, in moist but well-drained soil, where it thrives equally well.

Rock-gardens and gardens of native plants are growing in popularity. If we can assist you in selecting plants for either purpose we shall be happy to rut at your service the knowledge gained by nearly half a century of study and actual experience. Do not hesitate to write us.



Mitella diphylla

MITELLA

diphylla (Bishop's Cap). E Native. Grows 1 to 2 feet high, producing in early spring racemes 6 to 8 inches long of delicate white flowers. Pretty for rockeries.

MITCHELLA

repens (Partridge Berry). E Native. A little trailing evergreen. It forms fine mats under evergreens, and when once established, is sure to please. It does exceedingly well grown in a bellglass, and so makes a charming midwinter decoration for the living-room, as it needs little care. My stock is pot-grown. 30 cts. each, \$2.50 for 10, \$20 per 100.

MYOSOTIS

palustris (Forget-me-not). • Native. Lovely light blue flowers, with yellow center. Succeeds best in moist situation.

The index on inside back cover will guide you to any plant in this catalogue.

NEPETA

Glechoma (Ground Ivy; Gill). Native. Little low plant with light blue flowers in early spring. It creeps extensively and is desirable for covering moist banks and can be used to advantage in rockgardens. 10 cts. each, 75 cts. for 10, \$5 per 100.

PACHYSANDRA

terminalis. See Evergreen Shrubs.

PARNASSIA

caroliniana (Grass of Parnassus). 🐟 🗞 Native. The flowers are white, marked with greenish veins; showy. 6 to 15 inches high.

POLYGALA

paucifolia (Fringed Polygala).

■ Native.


Low-growing; purple tinted leaves and large, handsome, rose-purple flowers.

Wild-Life Sanctuaries

Nature-lovers can do no greater service than providing "cities of refuge" for game birds and small animals. Thickets of low shrubs furnish homes and safety for most forms of wild life.

Mountain Laurel (Kalmia latifolia) makes a splendid covert in the woodland. Fairly dense in growth, retainthe foliage all the year, and in spring a mass of bloom, are three prime points in favor of Laurel.

I can supply nursery-grown or collected Laurel in almost any quantity See pages 30 and 36



Myosotis (Forget-me-not)



Phlox subulata (Moss Pink) is a useful plant in rock-gardens

PHLOX

amœna (Lovely Phlox).
Native. One of the most charming little dwarf plants imaginable, growing only about 6 inches high, and forming a mat of evergreen foliage which is entirely covered with compact heads of bright pink flowers from April until June. A lovely springblooming plant. Prefers dry soil in sunny situations.

divaricata.

Native. About 15 inches high. Flowers pale lilac or bluish. Grows in moist humus-filled soils in

rocky woods.

subulata (Ground, or Moss Pink).

Native. A creeping or tufted species, growing in broad mats on dry, rocky hills or sand banks. In the summer it does quite well in the border and can be used for edging or among larger plants, where it soon covers the ground.

subulata alba.

A variety of the preceding, with pure white flowers. Desirable for covering rocky or sandy places.

subulata lilacina (Moss Pink). In general characteristics much like the two preceding varieties, and can be used in similar places. The flowers are light blue.

PHLOX, continued

Vivid. A creeping variety that has no superior in the Phlox family. The growth is compact, with fine foliage, while the flowers make a carpet of clear pink. 25 cts. each, \$2 for 10, \$15 per 100.

PODOPHYLLUM

peltatum (May Apple; Mandrake). ® Native. A peculiar herb, with creeping rootstocks and fibrous roots. Grows a foot or more high, with large, round, seven-to-nine-lobed leaves, peltate in the middle. Flowers nodding, white, 1 to 2 inches broad.

POLYGONATUM

biflorum (Solomon's Seal).

Rows a foot high; often seen in rich, shady places, and bearing, in June, several or many rather small, greenish flowers along the upper half of the stalk, followed by the black or blue berries which are quite conspicuous in autumn. Plant in moist shade; perfectly at home in the rock-garden.

majus (Giant Šeal). Native. A large form of the above. 30 cts. each, \$2 for 10,

\$15 per 100.

Rhododendrons and Azaleas are most popular in landscape planting. Varieties are listed on pages 34 and 37.



Phlox divaricata



Sanguinaria canadensis

PRIMULA (PRIMROSE)

These develop their full beauty when planted in a moist situation. For several seasons past I have met with remarkable results by growing them in my bog-garden where the moisture is constant.

japonica. Brought to this country from Japan, and is thoroughly hardy and at home in places that are partially shaded and reasonably moist. The flowers, which are clear purple, are borne in groups of a dozen or more and on stems which average 18 inches in height. 30 cts. each, \$2.50 for 10, \$15 per 100.

PYROLA

elliptica (Shin Leaf). Native. A little low evergreen plant, 3 to 4 inches high, forming extended mats or ground-covers in rich shady places. Flowers white and quite attractive. Shows to best advantage when used in large groups.

SAXIFRAGA

virginiensis.

Native. A low perennial, 4 to 9 inches high, with a cluster of pretty white flowers appearing in early spring. Fine for rockeries. 15 cts. each, \$1 for 10, \$8 per 100.

A foundation group, like the one shown about my office, will add to the appearance and value of any home. Even if you cannot use the material there shown you can select other plants that will give an equally pleasing appearance.

SANGUINARIA

canadensis (Bloodroot).

Native. A low perennial, about 6 inches high, with pure white flowers an inch in diameter, in early spring. The large, leathery leaves appear later. Plant in rich soil, selecting, if possible, shady places or rockgarden. 15c. each, \$1 for 10, \$8 per 100.



Hardy Primrose



SEDUM (STONECROP)

A class of plants particularly adapted for carpeting very dry, sandy or rocky places in open sun. The taller varieties are quite useful in the border, being quite showy.

LOW VARIETIES

acre.

A little, low tufted perennial spreading on the ground. Flowers yellow; very pretty for rock-work or growing in front of the hardy border.

album. From northern Asia. A low plant,
4 to 6 inches high, with linear leaves
½ inch long. Flowers white with red centers. Useful for covering dry rocks and banks in open sun.

lydium. Low plants, fine for rock-work in open sun; leaves turn red in autumn.

oreganum. Native. From the Rocky Mountains. Flowers brilliant yellow; leaves thick and fleshy.

rupestre minor. One of the finest. Turns a grayish purple in the spring. Flowers vellow.

sarmentosum (Stringy Stonecrop). A glabrous evergreen with long prostrate shoots, rooting at the tips. One-inch long flat flesh leaves in three's, and five-eighth-inch bright yellow flowers all summer long. For covering rocks, rough ground or walls it is extremely useful.

sexangulare. Similar to S. acre, but the leaves and whole plant are smaller. Used for carpeting dry, bare places.

A moist place in your garden can be made the home of a great collection of Bog-Plants. See page 26.

SEMPERVIVUM

All Sempervivums, \$1 for 10, \$8 per 100

Alberti. So Bright red flowers of medium size. Plants grow about 8 inches high. globiferum. So Flowers pale yellow.

Plants from 6 to 9 inches high. A native of Austria.

tectorum (House Leek). ◈ A class of plants with thick leaves, often tinted with pink or purple. Used for rock-work or edging in dry, open places.

arachnoideum. Small rosettes threaded over with white cob-web-like down.

SHORTIA

galacifolia.

Native. A rare evergreen species from the mountains of North Carolina. Five pure white petals are scalloped or notched on the edges. Flowers about an inch across in early summer. Plant in a rich, shady place. Hardy. 35 cts. each, \$3 for 10, \$25 per 100.



Smilacina bifolia. See page 22



SMILACINA

bifolia (Maianthemum bifolium).

Native. Grows to 4 inches high, with small, white flowers in spring; fragrant. May be used in rock-gardens or as a ground-

racemosa (False Solomon's Seal).

Native. Plants 1 to 2 feet high. Flowers white, in terminal racemes, in June and July. Found throughout New England in moist shades, usually on hillsides.

SOLIDAGO (Goldenrod)

This is an attractive genus of plants, with a large number of variable species, some They come of which are very beautiful. into flower a little before the asters.

cæsia. ≯ Native. A tall, yet slender Goldenrod, found in dry, shady_places, with smooth, lanceolate leaves. Flowers in small clusters along the upper part of

the stalk, bright yellow and showy.

canadensis. ** Native. A tall species found growing in open, sandy places. Flowers small, but very numerous, in rather flat heads. One of the finest and most prominent of all our Goldenrods.

nemoralis.


Native. A low plant growing in dry, open places, with very bright yellow flowers in August.

In Variety. Native. For massing. per 100.

STYLOPHORUM

Native. Yellow flowers, diphyllum. about 2 inches across, in clusters of three to five. Thrives in moist, shady places.

Every season sees Rock-gardens increasing in popularity. A real Rock-garden (not the old-time rockery) is a valuable asset. If you wish information about proper plants, write me.



Solidago (Goldenrod)

SPECIAL NOTICE TO CUSTOMERS

This spring, as in the past two seasons, I am going to allow my customers a special 5% discount on all orders received before March 1st; provided orders are accompanied by remittance.

I have an abundant supply of Rhododendron carolinianum and Azalea calendulacea; illustrated on the cover of this catalog.

Most all of the plants supplied will be heavily budded for flowering this spring.

I wish to call your particular attention to my special offer for a carload shipment of collected Laurel or Rhododendron maximum. This special offer is found in the back portion of the catalog under "Collected Rhododendrons." The 5% discount will apply to this special offer when order is received with remittance.

OLD ENGLISH BOXWOOD

I have some rare specimens of Old English Boxwood that I am supplying at very reasonable rates, also hedges; any height. I will be pleased to supply you special quotations covering any requirements you may have.

Gillett's Fern & Flower Farm, K. E. Gillett, Prop.

Southwick, Mass.



A naturalistic path along the edge of a wood. Small Ferns and mosses were used about the steps: tall Ferns and a few perennials border the way. Arranged by our Service Department, but one might think that nature had been entirely unassisted.

THALICTRUM

anemonoides (Rue Anemone). Mative. One of the earliest of our wood flowers and often seen with anemones. This plant grows about 8 inches high, from a cluster of thickened, tuberous roots. Flowers white. At home in the rockgarden or a well-drained, shady corner. Plant 4 to 6 inches apart. 15 cts. each, \$1 for 10, \$8 per 100.

cornuti (Tall Meadow Rue).

A stronger plant than Dioicum, often growing 4 to 5 feet high. This plant delights in a wet, open place, often along brooks. Flowers white, borne from July to September. Does well in moist soil.

dioicum. Mative. Found in shaded, rich hillsides in early spring. Flowers purplish. Plant in a shaded spot where the drainage is good. 1 to 2 feet high. 15 cts. each.

THYMUS

azoricus. A creeping variety with dark green foliage; flowers pink.

lanuginosus (Woolly Thyme). A species of Thyme with small, roundish leaves. It is a desirable plant for edgings or in rock-work.

Serpyllum (Creeping Thyme). This makes a fine ground-cover in open, moist places on hillsides. Lavender flowers late in the summer, on slender spikes.

Serpyllum albus. A hardy sort with pure white flowers and a fine creeper to run over the rocks.

Serpyllum coccineus. Similar to above, with scarlet flowers.

TIARELLA

cordifolia (False Miterwort).

Mative.

Grows about 10 inches high and bears a short raceme of pretty white flowers in May or June. Plant in rich, moist shady places.

TRADESCANTIA

virginiana (Spiderwort).

Native. An old garden plant, well known for its long, grass-like leaves and blue or violet flowers that appear all summer. Plant in a moist, rich place, in shade or sun.



Tiarella cordifolia



Trillium grandiflorum

TRILLIUM

Three-Leaved Night-Shade

A class of low perennials, having a stout and simple stem from their tuber-like root, naked, and bearing at the top three ample leaves in a whorl and a terminal flower. Trilliums bloom early in spring, and are easily grown in a moist, shady situation.

cernuum (Nodding Trillium).

→ Pure white 2-inch flowers that nod under the broad rhombic-ovate leaves. 25 cts. each, \$2 for 10, \$15 per 100.

erectum.

Native. Has broad, rhomboid leaves, with a dark purple flower. 15 cts. each, \$1 for 10, \$8 per 100.

erythrocarpum (Painted Trillium). Native. White flowers painted with purple at the base; delights in cold, damp leaf-mold. 15 cts. each, \$1 for 10, \$8 per 100.

grandiflorum. Matire. Probably the prettiest of the genus, and most generally cultivated. It grows 8' to 15 inches high; large, white flowers, often 2 to 2½ inches in length and 2 inches wide, turning to lilac-color with age. 15 cts. each, \$1 for 10, \$6 per 100, \$40 per 1,000.

stylosum. Native. A southern species. Pink flowers in early spring. Very effective when planted in large colonies. 15 cts. each, \$1 for 10, \$8 per 100.

TUNICA

Saxifraga. Grows about a foot high, with numerous spreading leaves. Flowers small, but literally covering the plant, rosy white, pink or purple in color. Fine for open border or rockgarden.

UVULARIA

perfoliata. Mative. Thrives in damp soils, and requires shade. Flowers light yellow. 15c. each, \$1 for 10, \$8 per 100. sessilifolia. Native. Similar to the preceding, only the leaves are sessile instead

of clasping. All these Uvularias are easily cultivated and quite pretty. 15 cts. each, \$1 for 10, \$8 per 100.

VERONICA

incana. An upright growing plant 12 to 18 inches high. From July to September many blue blooms are carried in quantity, Useful in the rockery.

prostrata (Harebell Speedwell). A rockgarden plant with prostrate stems rambling about. Large deep blue flowers produced abundantly in June.

VINCA

minor (Common Periwinkle).

** Also known by name of Blue Myrtle. A most beautiful evergreen trailing plant with large blue flowers. Hardy and desirable in dry shade to cover barren places. 25 cts. each, \$2 for 10, \$15 per 100.



Rock-gardens are not serious problems. A little study, and appropriate plants, made this charming scene

VIOLAS · Violets

The Violets are, for the most part, among our first spring flowers. They furnish an abundance of bloom, a variety of colors, and are easily grown.

blanda (Sweet White Violet).
 Flowers slightly fragrant. Plant in damp, open places in spring. 20 cts. each, \$1.25 for 10, \$10 per 100.

canadensis. Mative. Grows 1 to 2 feet high, with heart-shaped leaves and whitish flowers tinged with purple. A moist, shady situation is desirable for its cultivation. This variety will bloom in the greatest profusion from early May to August.

conspersa silvestris (Dog Violet).

Natire. A pretty, many-flowered blue Violet, 6 inches high, branching and forming little clumps. For best results should be planted in moist, shady places. 20 cts. each, \$1.25 for 10, \$10 per 100.

cornuta (Horned Pansy).
An old garden plant of much merit, with sweet-scented, bright lavender flowers in spring; hardy in wet, open places.

cucullata (Common Blue Violet).

Native. A vigorous plant, each leaf and flower-stalk growing on a long stem from the thickened or tuberous root.
Flowers deep or pale violet-blue or purple, single. It grows in damp, shady places. 15 cts. each, \$1 for 10, \$8 per 100.

Johnny-Jump-Ups. ♦ Little Violet found in old gardens; bright yellow and purple flowers, sometimes called "Johnny-jumpups." 15 cts. each, \$1 for 10. lutea (European Yellow Violet). ♦ Attractive yellow flowers, similar to V. cornuta in shape, with fine black stripes at base of petals. Dense growing, 2 to 6-inch-tall plant; profuse bloomer, from early spring till frost. Half-shade.

palmata. Native to the Eastern United States. The flowers are blue, with now and then a white specimen.

pedata (Bird's-foot Violet).

Native
Leaves all divided. Large, handsome, pale or deep purple or blue flowers in summer. Delight in a dry, sandy soil in open sun. Spring or early summer. One of the very best of our wild Violets and satisfactory to grow by reason of its great flower-bearing quality. Fine, large clumps, 25 cts. each, \$1.25 for 10, \$10 per 100.

pedata bicolor. Purple and white flowers. 25 cts. each, \$2 for 10, \$15 per 100.

pubescens. § Native. Flowers yellow, veined with purple. Found in New England, in rather dry soils, in shade, in early summer. 6 to 12 inches high.

septentrionalis. Natire. An albino, growing 6 to 10 inches high in early summer. Strong vigorous grower, with masses of well-developed, dark green leaves. The flowers are white, with purple throat, standing up well above the leaves and covering the plant with masses of bloom. Does well in rich, moist border or partial shade; not fragrant.



BOG-PLANTS

To the group of plants which can be conveniently classed as Bog-Plants belong some of the most interesting varieties of our American flora. These require a damp situation. It is not essential that the amount of moisture present be excessive yet it must be constant. If one does not have the natural conditions for growing this class of material, an artificial bog-garden can be constructed. Those interested in constructing such a garden should write us for full details which will be gladly given.

Bog-Plants, 25 cts. each, \$1.50 for 10, \$12 per 100, unless otherwise noted

ACORUS

Calamus (Sweet Flag). Native. Grows in low, wet places. Leaves light green, 1 to 3 feet long. The root-stock has an aromatic flavor well known to people of New England. Desirable for shallow lakes and wet places.

CALLA

palustris (American Calla). Native. Similar to the cultivated sort, only smaller; easily grown in the bog. 15 cts. each, \$1 for 10, \$8 per 100.

CALTHA

palustris (Marsh Marigold). Native. 6 to 15 inches high. Flowers bright yellow in spring. A very showy plant in wet places, both in sun and shade. It can also be planted in brooks, in water 2 to 4 inches deep; for massing, plant 1 foot apart. It can also be grown in pots for forcing. 15c. each, \$1 for 10, \$8 per 100.



Calla palustris



Caltha palustris. See page 26

CYPRIPEDIUM

spectabile. See Orchids.

IRIS

Pseudacorus. See page 16 Versicolor. See page 16

JUNCUS

effusus (Bog Rush). Native. Stem round, dark green, 2 to 4 feet high, bearing near the top a cluster of small, inconspicuous flowers. Quite desirable for wet, marshy places, where it soon establishes itself, forming good clumps. 15 cts. each, \$1 for 10, \$8 per 100.

LOBELIA

cardinalis. Native. See page 17

MENYANTHES

trifoliata (Buck Bean). Native. A pretty little bog-plant, growing in moss. Has large, pure white flowers, covered on the upper surface with frost-like beards in early spring. Fine for the bog-garden. 15 cts. each, \$1 for 10, \$8 per 100.

POGONIA

ophioglossoides. See Orchids.

NESÆA

verticillata. Native. A pretty little water shrub, found along the margins of lakes in shallow water or wet ground, with clusters of small, rose-purple flowers. Leaves are brightly colored in autumn and make a bright spot in the landscape. 20 cts. each, \$1.25 for 10, \$10 per 100.

SARRACENIA

purpurea (Pitcher Plant). Native. This plant usually sends up one flower-stalk 6 to 18 inches high, bearing a single, deep purple flower an inch or more in diameter. Leaves pitcher shaped, curved, ascending, 2 to 6 inches in length, greenish, with purple veins, or reddish purple. Plant in a wet place.

SARRACENIA, continued

flava (Trumpet-Leaf). Native. Flowers and leaves yellow, the former 4 to 5 inches wide, leaves 2 feet long. Often hundreds of insects are found in a single pitcher; easy to grow in the bog.

rubra (Red-flowered Trumpet-Leaf). Native. Pitchers red-veined; flowers red-

dish purple.

SCIRPUS

atrovirens (Marsh Sedge). Native. Fine for moist or wet places. 1 to 3 feet high. 15 cts. each, \$1 for 10, \$8 per 100.

TYPHA

latifolia (Cat-tail). Native. A plant found in wet places, growing 2 to 4 feet high. Leaves long, grass-like; flowers grow in a spike. Picturesque when growing on the margins of small streams and as a border for ponds. For massing, plant 2 feet apart.

VACCINIUM

macrocarpon (American Cranberry). Native. The common Cranberry of commerce, easily grown in the bog or any moist situation. Good clumps, 15 cts. each, \$1 for 10, \$8 per 100.

VERATRUM

viride (American White Hellebore). Native. Thrifty plants; large, broad, green leaves, nearly a foot long. Grows 2 to 4 feet high, bearing many small, yellow, or greenish flowers at top. At home in a moist or wet, black peaty soil.



Scirpus atrovirens

NATIVE ORCHIDS

Native Orchids are universally admired. These beautiful gems of our woodland can, in the majority of cases, be easily grown; some require special conditions. Those who are in doubt as to the proper variety to select for growing under certain conditions should write us for further particulars.



Cypripedium spectabile

CYPRIPEDIUM

acaule (Lady's Slipper; Moccasin Flower). This is often called the Red Lady's Slipper, but the flower is rose-purple in color. The plant sends up two broadish green leaves from the base, and from between them comes a stalk about a foot high, bearing a single large, showy flower. Plant in a well-drained soil, with some leaf-mold. This does quite well in pots. Each 10 1 to 2-crown plants...\$0 25 \$2 00 \$15 00 pubescens. In this variety the petals are usually slightly twisted and are much narrower than the sepals. The flowers, which come in May and June, are pale

Cypripedium pubescens, continued

yellow in color. The plant is found under natural conditions as far north as Newfoundland, and has a southern range into lower Georgia.

Each 10 100 1 to 2-crown plants \$0 30 \$2 50 \$20 00

spectabile (Showy Lady's Slipper). Native. The finest and most showy of all our Orchids. It grows about 2 feet high, bearing along the stalk several rather large, roundish leaves, and on top one or two quite large rose-purple or nearly white flowers. It is a bog-loving plant, yet does exceedingly well in a moist and partly shaded bed of peat or leaf-mold. Nothing can be more charming than masses of this plant in a cedar swamp, its natural home.

Each 10 100 1 to 2-crown plants.. \$0 35 \$3 00 \$25 00 3 to 4-crown plants.. 75 6 50 60 00

GOODYERA

pubescens (Rattlesnake Plantain). Native. Leaves white, reticulated, clustered at the bottom. Stem leaflets about a foot high, bearing a short spike of white flowers. Plant in a shady place, with leaf-mold. 8 to 15 inches high. 15 cts. each, \$1 for 10, \$8 per 100.


POGONIA

ophioglossoides. Native. A little fibrousrooted plant, found growing in sphagnum moss and wet places in leaf-mold. The solitary (sometimes paired), pale rose or white fragrant flowers are borne on 4 to 10-inch stems. Plants may be colonized in wet meadows. 25 cts. each, \$1.50 for 10, \$12 per 100.

We'll provide the plants which, with little work and less effort ever after, will develop intensely charming spots. There are ferns and wild, hardy flowers for all sorts of situations. Tell us your problems and let us help you.

HARDY VINES AND CREEPERS

APIOS tuberosa (Wild Bean). Native	Each \$0 15	\$1 ¹⁰	100
CLEMATIS virginiana (Virgin's Bower). Native	30	2 00	\$15 00
RUBUS hispidus (Running Swamp Blackberry). Native	15	1 00	8 00
R. canadensis (Low Blackberry). Native	15	1 00	8 00



Daphne cneorum

EVERGREEN SHRUBS

There is a luxuriance about Broad-leaved Evergreens that is very hard to describe, but which everyone feels and admires when they behold them. Their dark green, glossy leaves are always attractive, and, as foundation plantings about the house, they impart a feeling of warmth in winter and of coolness in summer.

Prices include careful balling, burlapping, and packing. Prices f. o. b. Southwick

ANDROMEDA (Pieris) floribunda (Lily-of-the-Valley Shrub). Each Native. Beautiful, hardy shrub. In early April is covered with showy spikes of white flowers. Very desirable for edging rhododendron beds or for planting in front of a group of evergreens; in both instances it makes a pleasing contrast.	10	100
9 to 12-inch spread \$2 00 12 to 15-inch spread 2 75 15 to 18-inch spread 3 50 18 to 24-inch spread 4 50	\$17 50 25 00 32 50	\$150 00 225 00 300 00
CALLUNA vulgaris (Heather). Here is something distinctly out of the ordinary for the garden. In late July or early August the plants are a mass of color. Thrives on poor soils, the only requirements being a sunny situation and severe pruning in the early spring.		
8 to 10-inch clumps	12 50	100 00





Kalmia latifolia. A fair specimen from my fields

Andromeda (Pieris) floribunda

DAPHNE cneorum (Rose Daphne). A most attractive, dwarf, Each almost prostrate shrub. In May, and again in August, it bears beautiful flower clusters of a delightful shade of pink. For rock-gardens and the edges of borders it is very desirable. Can be used in open sun or partial shade, is perfectly hardy, and in every way is a lovely plant. See illustration (on preceding page) of an average size plant balled for shipment.	10	100
6 to 8 inches. \$0 75 8 to 10 inches. 1 00 10 to 12 inches. 1 25 12 to 15 inches. 2 00	\$6 50 9 00 11 50 17 50	\$60 00 85 00 110 00 160 00
ILEX glabra (Inkberry). Native. One of the best broad-leaved evergreens for New England. A broad, round-topped shrub with small, lustrous leaves. The inconspicuous flowers are followed by small black fruits, more or less concealed by the foliage, which hangs on all winter. Not at all particular about soil or location, the Inkberry is one of the most satisfactory native shrubs.		
12 to 15 inches	17 50 22 50 27 00	150 00
the dark green, glossy foliage 12 to 15-inch clumps	10 00 15 00 22 50 30 00	90 00 125 00 200 00

A shady nook, a few rocks, wild flowers and ferns—a bit of paradise on earth. That woodland spirit you adore will move to your home grounds with the children of the woods. Those Bloodroot and Ladyslippers, Bluebells and Trilliums at your doorstep will create a unique atmosphere not to be attained with the more pretentious flowers of civilization. Ours is one of the most unique nurseries in the country. We specialize in native plant gems, nature's own contribution to making this a brighter, better world. For fifty-two years the founders of this business preached the gospel of naturalistic gardening.

LEUCOTHOË Catesbæi (Drooping Leucothoë). Native. Eac One of the hardiest, broad-leaved evergreens for this climate. The long, spreading, arching stems are clothed with long-pointed, handsome, deep green leaves, 4 to 7 inches long, and the attractive white-flowered racemes are borne in May. Fine for ground-cover, requiring moist soil and shad d situations. It grows freely under the protection of evergreens, in a shrub border, or at the edge of a woodland. He ght 6 feet.	h 10	9 190	
12 to 15-inch clumps	00 \$8 60 12		
LEIOPHYLLUM buxifolium (Sand Myrtle). An evergreen shrub somewhat resembling the common box, and which is well adapted for borders and rockeries. The flowers are rather small, white or light pink, and carried in clusters at the end of the flower stems.			
9 to 12 inches	50 12	50	
that it is of dwarf habit. 6 to 9 inches	50 12	50	
PACHYSANDRA terminalis (Japanese Pachysandra). The best ground-cover under shrubs of all kinds. Grows only 6 inches high, spreading by underground stems, and has dark green foliage. The flowers are incon-			
	30 2	50 15 (00

Under spreading shade trees, where grass does not grow readily, cover plants have great value. With such plants our native ferns may be used to advantage. We invite your attention to pages 8 to 10 where you will find varieties suited to almost every situation.



Pachysandra terminalis has many uses, not the least of which is to border the steps leading to the garden

HOW TO GROW RHODODENDRONS AND AZALEAS



Rhododendron catawbiense, 18-inch grade

Rhododendrons and Azaleas must be given careful attention after planting, for oftentimes, fine, thrifty stock fails to produce the desired results because of the lack of after-care. The soil must be thoroughly prepared by deep spading, making it porous, and after the plants are set the ground must be given frequent waterings and a heavy mulch of leaves applied; the latter will tend to retain the moisture in the soil.

Soils. All members of the heath family, including broad-leaved evergreens and azaleas, require a soil showing an acid reaction. Because of this special requirement, many sections of the country have thus far been prevented from enjoying the beautiful display furnished by rhododendrons, kalmias, and azaleas. In sections where the soil shows an alkaline reaction, gardeners need no longer despair, because, by special soil-preparation, these gorgeous representatives of our native plants can be made to thrive.

Prepare the soil carefully by spading thoroughly to a depth of 12 to 15 inches. Then place a layer of Granulated Peat



Rhododendron catawhiense is one of our loveliest native evergreen shrubs



Planting of Rhododendrons

HOW TO GROW RHODODENDRONS AND AZALEAS, continued


Moss 3 to 4 inches thick, which should be thoroughly worked into the soil. Granulated Peat Moss, by repeated tests, has proved a great stimulant to the growth of plants belonging to the Heath family. It produces a strong acid reaction and leaves the soil porous, admitting air and affording good drainage.

After Rhododendrons and Azaleas have been planted in this specially prepared soil, a mulch of 2 inches of the same Granulated Peat Moss should be applied. This treatment will tend to keep the moisture at the surface of the soil, which is quite necessary in growing this order of plant material successfully.

GRANULATED PEAT MOSS

Granulated Peat Moss comes packed in bales containing eight bushels. It is very light in weight, but will absorb eight times its weight in moisture. One bale, when pulverized, will cover an area of 240 square feet, 1 inch deep. The price on Granulated Peat Moss is \$4 per bale f. o. b. Southwick, Mass., Boston, Mass., or New York City. For quantity shipment special quotations will be furnished gladly.





Rhododendron maximum

RHODODENDRON carolinianum (Carolina Rhododendron). Native. The most beautiful of the native Rhododendrons, growing 6 to 8 feet high. The plants are well clothed with dark green leaves, rusty below, and produce, in early May, a wealth of unusually large, pale, rose-pink flowers in good-sized clusters. One of the best broad-leaved evergreens. Each 10 100
R. catawbiense (Catawba Rhododendron). One of the most beautiful native shrubs
and the hardiest of all the Rhododendrons. In June every branch has a large cluster of 1½-inch broad, rosy purple blooms. The foliage is the most handsome
of any Rhododendron. Each 10 100
6 to 9-inch clumps
9 to 12-inch clumps
12 to 15-inch clumps
15 to 18-inch clumps
18 to 24-inch clumps
2 to 2½-foot clumps
2½ to 3-foot clumps
2/2 to a rest stamper
R. maximum. A hardy variety, of magnificent size, making it a wonderful plant for
mass effects. The luxuriant growth of dark green, narrow leaves, 6 to 12 inches
long, gives a delightful atmosphere. The light pink or white flowers, 11/2 to
2 inches broad, are borne in large clusters in great abundance in June.
Each 10 1100
12 to 15-inch clumps
15 to 18-inch clumps
18 to 24-inch clumps
2 to 2½-foot clumps
2½ to 3-foot clumps
3 to 4-foot clumps

Rhododendrons and Azaleas from My Southern Collecting Stations

Detailed prices on freshly collected Rhododendrons, in carload lots, are given on pages 39,40. These carefully selected plants are shipped direct from my collecting fields in the South.

I shall be glad to quote special prices on special requirements.



CONIFEROUS EVERGREENS

Coniferous Evergreens have a place all their own. Their spire-like habit puts the "jazz" into an otherwise monotonous sky-line. Besides, there are hardly any two of the same color, and, with a few exceptions, those colors do not vary much the year round—unless the color is lighter in the spring when new growth is made. A few assume attractive bronzy tones in fall. Conifers impart a feeling of substantial desirability to a home or garden surrounded by them, or in which they are freely used. For foundation plantings, covering banks, walls and other objects they are extremely useful.

All prices are f.o.b. Southwick, Mass. Packing charges are included—no extras.

1		
JUNIPERUS communis (Common Juniper). Native. Usually Each a shrub with spreading, sometimes prostrate branches curving upward near the ends.	10	100
1 to 1½ feet	\$10 00	\$80 00
PINUS montana mughus (Dwarf Mugho Pine). A compact, low-growing evergreen. The new growth, which will vary from 4 to 6 inches a year, makes the plant look as if covered with a multitude of white candles.		
12 to 15-inch spread 2 50 15 to 18-inch spread 3 00 18 to 24-inch spread 4 00	22 50 25 00 35 00	
THUYA occidentalis (American Arborvitæ). One of the few conifers that are perfectly hardy in New England. Attains a height of 60 feet, is pyramidal in outline, with bright green foliage. Assumes bronzy tones in winter.		
2 to 2½ feet. 1 75 2½ to 3 feet. 2 25 3 to 3½ feet. 3 25 4 to 5 feet. 4 25 T. occidentalis pyramidalis (Pyramidal Arborvitæ). Upright, dense, and compact in growth, similar to the Irish	15 00 20 00 30 00 40 00	125 00 175 00
Juniper. Light green foliage. 1½ to 2 feet. 1 50 2 to 2½ feet. 2 00 2½ to 3 feet. 2 50	12 50 17 50 22 50	110 00 150 00 200 00
TSUGA canadensis (Common Hemlock). One of our most imposing forest trees, growing from 70 to 100 feet high. A native of the Atlantic coast. Valuable for timber and extremely decorative in landscape work.		
* 12 to 15 inches. 1 50 15 to 18 inches. 1 75 1½ to 2 feet. 2 50 2 to 2½ feet. 3 50 2½ to 3 feet. 4 50 3 to 3½ feet. 5 50 3½ to 4 feet. 6 50	12 50 15 00 22 50 32 50 42 50 50 00 60 00	100 00 125 00 225 00 275 00 325 00 400 00



DECIDUOUS SHRUBS

For the past five or six years I have been devoting my attention chiefly to the development of native Azaleas and native Broad-leaved Evergreens. My plan is to develop a stock of native Azaleas in all varieties and grades, in such quantities that any reasonable demand can be supplied. To do this I have found it necessary to discontinue growing some of the more common sorts of shrubs.

Azaleas require careful handling. My stock is dug with balls of earth. Each plant is separately and securely burlapped; this prevents the roots from drying out or becoming disturbed in transit, and insures good results after planting. No class of native shrubs compare with the native Azaleas in floral display. By planting several varieties

one can have bloom from early May to the first of July.

Azaleas are rather slow growers, especially after they have attained a height of 4 to 5 feet. However, instead of becoming leggy and unsightly as the years go by (which is usually characteristic in some shrubs), they become more attractive, furnishing larger and larger display of bloom as they mature, eventually growing into large specimens and becoming real landmarks that money could not replace. The prices listed are f. o. b. Southwick, and include packing charges.

AZALEA arborescens (Sweet Azalea). Very attractive white or faintly rose-tinted, fragrant flowers whose beauty is enhanced by the long, bright red filaments of the stamens. The flowers are borne after the foliage appears, and it is one of the most beautiful of all the hardy Azaleas. In sheltered places it often reaches 15 to 18 feet in height. May.

Each 10

A. calendulacea (Flame Azalea). Probably the most gorgeous of the native Azaleas. From early May until well into the month of June, the plants are literally covered with orange-yellow or flame-red blooms which in size are often 2 inches across. The well-known Ghent Azaleas rarely equal in brilliancy this native species. Foliage remains good until late fall and breaks in the spring just before the blooms appear.

1 to 1½ feet. \$2 50 \$20 00 \$175 00 \$1½ to 2 feet. \$3 00 25 00 225 00 \$2 to 2½ feet. \$3 50 \$32 50 300 00

A. canescens (Piedmont Azalea). Rosy pink or whitish trumpet-shaped flowers of great beauty, borne in May before or with the unfolding leaves, fill the air with sweet fragrance. Plant in masses against a dark background to show the flowers to the best advantage.


	r.acn	10	
1 to 1½ feet	\$2 00	\$17 50	\$150 00
$1\frac{1}{2}$ to $\bar{2}$ feet	3 00	25 00	225 00
2 to 21/2 feet	3.00		





Azalea nudiflora

A typical plant of Azalea calendulacea



- DIERVILLA trifida (Dwarf Bush-Honeysuckle). One of the unusual shrubs, low-growing, spreading, seldom more than 3 feet high, which in June carries a heavy crop of half-inch-long yellow flowers. 1½ feet, 30 cts. each, \$2.50 for 10, \$20 per 100.
- GAYLUSSACIA resinosa (Black Huckleberry). Native. Erect shrub, about 3 feet high, with reddish flowers in May and June, followed by black fruits. 1 to 1½ feet, 50 cts. each, \$4.50 for 10, \$40 per 100.
- HAMAMELIS virginiana (Witch-Hazel). Native. A most unique shrub, covered in the fall with clear yellow flowers, having strap-shaped petals that remain a long time. The leaves, which turn a deep golden yellow, drop about the time the flowers appear.

 Each 10 100

RUBUS strigosus (Red Raspberry). Native. Slender canes, 3 to 5 feet long, with stiff prickles and bright red fruits. 2 to 3 feet, 25 cts. each, \$2 for 10.

R. villosus (Blackberry). Native. Long, slender canes that often are bent to the ground under the load of foliage and large luscious fruits. Flowers white. 2 to 3 feet, 25 cts. each, \$2 for 10.

VACCINIUM corymbosum (High-bush Blueberry). Native. Every garden should grow the Blueberry. The small, handsome flowers are followed by an abundance

of large-sized, delicious berries. In late October and in early November, the bright scarlet foliage is unsurpassed by any other in the whole list of ornamental plants. Like all plants belonging to the heath family, it abhors lime; that has been the drawback to its cultivation, for making acid soils was not understood. Now, however, sour soils are easily produced, as explained under rhododendron culture on page 32. There is no reason why every garden owner should not enjoy the fruits and foliage of this very beautiful native shrub. 1½ to 2-foot plants, balled and burlapped, \$1 each, \$8.50 for 10, \$75 per 100; 2 to 3-foot plants, balled and burlapped, \$1.50 each, \$12.50 for 10, \$100 per 100.

ZANTHORHIZA apiifolia (Yellow-root). Natire. Extremely good plant for ground-cover under trees and on banks and rough ground, producing a soft, fern-like effect of great beauty. It has bright green leaves and drooping, compound racemes of star-shaped, brown-purple flowers. Roots and wood of stems yellow. Height 1 to 2ft. 6 to 8 in., 25c. each, \$2 for 10, \$12 per 100.



Granulated Peat Moss for Ericaceous Plants

Azaleas, Rhododendrons, and similar plants need an acid soil. This can be supplied in a great degree by Granulated Peat Moss worked into the soil and used as a mulch. The price is \$4 a bale f.o.b. Southwick, Mass., Boston, Mass., or New York City. A bale will cover 240 square feet, 1 inch deep.



Planting of Kalmia latifolia

Broad-leaf Evergreens in Carload Quantities

As one of the largest, if not the largest, collectors of Rhododendrons, Laurel, and Azaleas, I can meet all demands for collected plants of the very highest quality. My organization is experienced, thoroughly efficient, and prepared to give the best possible

service.
Unit prices on the various items are here given, but I can supply mixed carloads at these rates, f.o.b. shipping-point, either North Carolina or Virginia, depending upon the combination selected. A mixed carload of Azaleas, Laurel, and Rhododendrons will usually be made up of 600 to 700 plants. If larger Rhododendrons are included, the number would have to be reduced. The minimum shipping-weight of a carload of shrubbery is 16,000 pounds, so it is always to a purchaser's advantage to have a sufficient amount of stock included to equal the minimum weight of 16,000 pounds. Upon application I will be glad to give detailed information regarding this point.
AZALEA calendulacea (Flame Azalea). This Azalea is a very free bloomer, producing a mass of color the middle of May. The flowers vary from a bright yellow to a deep orange. 100 2 to 3-foot selected clumps, balled and burlapped
A. canescens (Piedmont Azalea). The flowers are clear pink and come about the same time, possibly a little earlier, than A. calendulacea. The two varieties planted together produce a pleasing combination. I can supply them in excellent stock. 2 to 3-foot selected clumps, balled and burlapped
KALMIA latifolia (Mountain Laurel). I can meet the largest requirements in this ever- green shrub. Its white flowers, delicately tinged with pink, come forth during the spring months.
1 to 2-foot selected clumps \$60 00 2 to 3-foot selected clumps 90 00 3 to 4-foot selected clumps 140 00

LEUCOTHOE Catesbæi (Drooping Andromeda). This shrub bears an abundance of delicate white flowers in the spring. It is especially useful along streams or at the edge of Rhododendron-beds. In autumn the foliage turns to a very deep bronze, giving it a distinctive appearance. 100 1 to 2-foot selected clumps. \$60 00 2 to 3-foot selected clumps. 90 00
RHODODENDRON carolinianum (Carolina Rhododendron). This is, without doubt, the most beautiful of all the Rhododendrons native to the Southern Alleghanies. In spring it bears a large number of delicate pink flowers in small clusters. It is adapted to a wide range of conditions, thriving in dense shade or in open sun. For best effects it should be planted where it receives sunlight a part of the day at least. I have a very large supply of this rare and beautiful Rhododendron which I offer as follows: 100 1½ to 2-foot clumps, balled and burlapped. 2100 00 2 to 3-foot clumps, balled and burlapped. 3100 00 3 to 4-foot clumps, balled and burlapped. 300 00 4 to 5-foot clumps, balled and burlapped. 400 00
R. catawbiense (Catawba Rhododendron). The hardiest of all native Rhododendrons and comes through our New England winters in perfect condition. The large flower-clusters appear the latter part of May and are rosy purple in color. I can offer them in the following sizes: 100 1½ to 2-foot selected clumps, balled and burlapped. 215 00 2 to 3-foot selected clumps, balled and burlapped. 225 00 3 to 4-foot selected clumps, balled and burlapped. 350 00 4 to 5-foot selected clumps, balled and burlapped. 350 00
R. maximum (Great Laurel; Rose Bay). The white flowers of this variety are often tinged with pink in the bud. It is used extensively for parkway planting. In this variety I supply only the very highest quality clumps. 100 1½ to 2-foot selected clumps. \$60 00 2 to 3-foot selected clumps. 90 00 3 to 4-foot selected clumps. 150 00 4 to 5-foot selected clumps. 225 00 5 to 7-foot selected clumps. 300 00
OLD ENGLISH BOXWOOD. Prices will be quoted on application for specimen plants, or plants for hedges, in varying sizes and grades. I handle only the best Boxwood that can be obtained in the South, and have several points of distribution

where you can call and select your own plants.

TSUGA canadensis (Canadian Hemlock). I collect these native Hemlocks from the North. I consider northern collected trees far superior to those coming from the South, and, as a rule, they establish themselves much better. I am here pricing only the larger sizes, but will be pleased to quote special prices on smaller grades. Each tree will be dug with a large ball of earth and carefully handled.

6 to	8 feet,	balled and	burlapped		00
8 to 1	10 feet,	balled and	burlapped	975	00
10 to 1	12 feet,	balled and	burlapped		00
12 to 1	15 feet.	balled and	burlapped		00


Two Special Bargain Offers

IN CARLOAD LOTS AT PRICES THAT ARE....

A carload of Mountain Laurel containing 600 clumps, 1½ to 3 ft. \$450.


A carload of Rhododendron maximum containing 500 clumps, 2 to 3 ft. \$450.

F.O.B. shipping station in Virginia





Hemlock Spruce



INDEX

Adder's Tongue15
Adder's Tongue 15 Adiantum 2,8 Adiantum 2,8 Aletris 11 Alyssum 11 Alyssum 11 Andromeda 29,37 Androsaee 23 Apole 23 Apole 23 Apios 28 Apple, May 19 Aquilegia 12 Arabis 12 Arabis 12 Arabis 12 Araborvitæ 35 Arenaria 12 Asarum 12 Asarum 12 Asarum 12 Aselepias 12 Aspidium 3,4,8 Aspidium 4,5,8 Aster 12,13 Azalea 36,38,39 Azaleas, How to Grow Azaleas, How to Grow Azaleas, How to Grow Baneberry 11
Adiantum2,8
Aletris11
Alyssum11
Andromeda29, 37
Androsaee12
Anemone, Rue23
Apios
Apple, May19
Aquilegia12
Arabis12
Arborvitæ
Ariamma 12
Account 12
Acolopies 12
Aspidium 3.4.8
Asplenium 4.5.8
Aster 12 13
Azalea 36 38 30
Azaleas How to Grow
32, 33
Baneberry 11
Baptisia 13
Bean, Buck 27
Bean, Wild 28
Bishop's Cap 18
Blackberry 28, 40
Bloodroot 20
Blue Bells of Scotland13
32, 33 33 34 35 36 37 38 38 38 38 38 38 38
Bluet
Bog-Plants26, 27
Dog-Flants 26, 27
Brake 6
Butterfly Weed12
Calla26
Calluna
Caltha26
Campanula13
Candytuft16 Cardinal Flower17
Cardinal Flower17
Cat-tail27
Caulophyllum13 Chamædaphne31
Chelone14
Chimaphila14
Cimicifuga 14
Clematis
Cliffbrake 6
Clintonia 14
Cohosh, Blue 13
Colie-root11
Cliftbrake. 6 Clintonia. 14 Cohosh, Blue. 13 Colie-root. 11 Coptis. 14 Cornel. 14 Cornel. 14 Corny, Squirrel. 14 Cornus. 14 Cowny, Squirrel. 14 Cowny, Squirrel. 17 Cowny, Squirrel. 18 Cowny, Squirrel. 18 Cowny, Squirrel. 19 Co
Cornel14
Corn, Squirrel14
Cornus14
Cowslip
Candytuft. 16 Cardinal Flower 17 Cat-tail 27 Caulophyllum 13 Chamædaphne 31 Chelone 14 Chimaphila 14 Clematis 28 Cliffbrake 6 Clintonia 14 Cohosh, Blue 13 Colie-root 11 Coptis 14 Corn, Squirrel 14 Corns, Squirrel 14 Cornus 14 Consign 17 Consign 17 Crander 17 Crand
Crane's Dill, WildID
Cyclamen, American.15

Page
Page Page Cypripedium 28 28 Cystopteris 5 Daphne 30 Dentaria 14 Dientra 14 Dientra 14 Dieksonia 5 8 Diervilla 40 Diplopappus 14 Dodeatheon 15 Dutehman's Brecches 15 Ervthronum 15 15 Ervthronum 15 15 16 17 18 17 18 18 18 18 18
Cystopteris 5
Daphne
Dentaria14
Dianthus14
Dieentra14
Dieksonia5,8
Diervilla40
Diplopappus14
Dutehman's Breaches 14
Erythronium
Erythronium 15 Eupatorium 15
Evergreens, Broad-
leaf
Erythronium 15 Eupatorium 15 Evergreens, Broad- Eucal 36, 37 Evergreens, Conferous ous 35 Ferns, Collections of 8 Ferns, Hardy 2-8 Flag, Sweet 26 Forget-me-not 18 Galax 15 Gavlinsacia 40 Gentian 16 Gentian 16
ous
Ferns, Collections of . 8
Ferns, Hardy2–8 Flag, Swect26
Forget-me-not 18
Galax15
Gaultheria15
Gaylussaeia40
Gentian
Gentiana16
Geranium16
Gentiana 16 Geranium 16 Gill 18 Ginger, Wild 12 Gold Thomas 11
Coldonard 22
Gold-Thread14
Goodyera28
Grass of Parnassus 18
Grass, Star16
Hamamelis40
Heather
Hemlock35, 37
Henotico 16
Honeysuckle
Houstonia16
Huekleberry, Black. 40
theris 16 (lex 30 Indigo, Wild 13 Inkberry 30 Iris 16
llex30
ndigo, Wild30
ris 16
ris
asmine, Rock 12
ris
uneus
uniper
Xalmia
ady's Slipper28
aurel30, 36
.cek, House21
_eiophyllum31
oe Pye Weed 15 uneus 27 uniper 35 uniperus 35 uniperus 35 salvinia 30, 36 adv's Slipper 28 aurel 30, 36 ceck, House 21 ceiophyllum 31 cueothoë 31, 37 cilium 17
iatris
_ilium17

LA
Page
Page Lily17
Lilv-of-the-Vallev
Shrub29
Lobelia17
Lycopodium
Lythrum. 17
Madwort, Roek11
Maianthemum22
Mandrake19
Marigold, Marsh26
Menyanthes 27
Mcrtensia17
Mitehella18
Mitella18
Miterwort, False23
Moneywort 17
Mosses Club 7
Ivosotis18
Myrtle24, 31
Vepeta18
Nesæa27
hoolee 5 9
Orehids Native 28
Osmunda5, 6, 8
Paehysandra31
Pansy, Horned25
Shrub
Peat Moss 33 40
Pellæa
Pepper-Root 14
Cerennials, Hardy11–25
Periwinkle24
hlov 10
Pieris
Pine35
ine, Ground 7
Pine, Prince's14
ink
Pinxter Bloom 39
Pitcher Plant 27
Plantain, Rattlesnake28
Codophyllum19
ogonia28
Polygonatum 19
Polypodium 6. 8
Polypody 6
rimrose20
rimula20
Purula 20
Raspberry
Plantain, Rattlesnake 28 Podophyllum 19 Pogonia 28 Polygala 18 Polygonium 19 Polypodium 6, 8 Polypody 6 Primrose 20 Primula 20 Pteris 6 Pyrola 20 Raspherry 40 Rhododendrons 34, 37 Rhododendrons 11 bow
Rhododendrons, How to Grow32, 33 Rock-Garden Plants
to Grow32, 33
tock-Garden Plants

	Pa	g
Rose Bay	Pa	3:
Rubus2 Rush, Bog2	8.	40
Rush, Bog		2
		20
Sarraechia		27
		20
Seirpus		27
Seirpus Sedge, Marsh	• •	27
Sedum	•	21
Sedum	٠.	
Senaginella Sempervivum	٠.	2
Shin Leaf		20
Shooting Star		4.5
Shortia	٠.	21
Shrubs Deciduone	• • •	۷,
ShortiaShrubs, Deciduous	ċ.	16
Shrube Evronosa 2	n	2
Shrubs, Evergreen 25	9-	2-
Spales II	• •	22
Shake Head	: -	14
Shakeroot12, 1-	÷,	15
Solidago	٠.	42
Solomon's Seal	; •	15
Smilaeina Smike Head Snake Head Snakeroot 12, 1 Solidago Solomon's Seal Solomon's Sea False	ı,	
False		22
Speedwell		24
Spergula	٠.	12 23 21 21
Spiderwort	٠.,	2:
Spleenwort	.4,	, 5
Stoneerop		21
Stoneerop Stylophorum		22
Summersweet		40
Sweet Flag		26
Thalietrum		23
Thoroughwort		15
Thuya		35
Thyme		23
Stylophorum. Summersweet. Sweet Flag. Thalietrum Thoroughwort. I huya I hyme. Thymus Tiarella Toothwort.	• • •	23 23
Tiarella		23
Toothwort	٠.	14 23
Tradescantia2. Trillium2. Trumpet-Lcaf Trumpet Weed		23
Trillium 2.	1	25
Trumpet-Leaf		27
Trumpet-Leaf Trumpet Weed Tsuga3		27 15
	5.	37
Tuniea		2.4
Tsuga 3: Tunniea 3: Turnip, Wild 5: Typha 5: Uvularia 7: Vaccinium 2: Veratrum 7: Veronica 7: Vinea 8:		12
Typha		27
Uvularia		24
Vaccinium 2	7, -	10
Veratrum		77
Veronica		24
Veronica Vinea	• • •	2.1
Vincs and Creepers .		28
		25
Violat	• • •	25
Violet Dog Touth	• • •	25 15
Viscin's Barres		28
Winterson		
wintergreen		15
witch-Hazel		10
Woodsia		8
Viola Violet, Dog-Tooth, Violet, Bower, Virgin's Bower, Wintergreen Witch-Hazel, Woodsia, Yellow-root,	. 7,	8 10
Yellow-root		ŧÜ
Zanthorhiza	4	40

